

We have a clinic in Brisbane CBD and clinics at Cleveland and Victoria Point in the Redlands region of South East Queensland.

Our aim is to provide professional, personalised, friendly, comprehensive advice and treatment. For more information visit our website or directly contact clinics.

BRISBANE CBD CHIROPRACTIC

Level 2 Wickham House, 155 Wickham Terrace Brisbane QLD 4000

P: 07 3839 8228 F: 07 3832 0183

E: brisbanecbd@sechiropractic.com.au

Clinic Hours by appointment only

(Hours office is attended in brackets)

Monday **11am – 6pm** (9am – 6pm)

Tuesday **11am – 6pm** (9am – 6pm)

Wednesday **8am – 1pm** (7am – 1pm)

Thursday **11am – 6pm** (9am – 6pm)

Friday **8am – 11am** (7am – 11am)

CHIROPRACTOR

John Worrall BAppSc (Chiropractic) FACC

CLEVELAND CHIROPRACTIC

5 / 111 Queen Street, Cleveland QLD 4163

P: 07 3286 5470 F: 07 3821 0090

E: cleveland@sechiropractic.com.au

Clinic Hours by appointment only

Monday – Friday: 8:00am to 7:00pm

Saturday: 8:00am to 12:00pm

CHIROPRACTORS

Rhys Dale BHS (Chiropractic) MCLinChiro

RMIT BAppSc (Biomedical) *Deakin*

Jasmine de Wind BSc (Chiropractic) BChiro

Murdoch

Niki McGuinness BSc (Chiropractic)

BCLinChiro *Murdoch University*

BSc (Hons) Nursing *University West England*

VICTORIA POINT CHIROPRACTIC

H28 / Level1 Victoria Point Lakeside

7–15 Bunker Road, Victoria Point QLD 4165

P: 07 3207 9000 F: 07 3207 0955

E: vicpoint@sechiropractic.com.au

Clinic Hours by appointment only

Monday – Friday: 7:30am to 7:00pm

Saturday: 8:00am to 12:30pm

CHIROPRACTORS

Kelly Mc Donnell MTech (Chiropractic)

Johannesburg BSc (Sport Science) *Stellenbosch*

RSA Dry Needling

Bethany Higgins BChiroSc MChiroSc

Macquarie

Gareth Hood BChiroSc MChiro *Macquarie*

Nathan Reynolds BSc (Chiro) BChiro

Murdoch BExSc *Griffith* GC Dry Needling

MASSAGE THERAPISTS

Jarmo Sirvio Dip Remedial Massage

YOUR CHIROPRACTOR

FREE!!
TAKE ME HOME



NOVEMBER/DECEMBER 2018

Is osteoporosis your future?

When you're a child, it's not uncommon to receive a bone fracture from falling off the jungle gym or your bicycle. As you age however, it's more common for it to be related to a bone-weakening disease known as osteoporosis. But does it have to be?

Even though osteoporotic fractures in Australians over 60 are all too prevalent, there is room for you to prevent them from occurring. If osteoporosis isn't a genetically likely outcome predetermined by your parents' bone mass, then you can begin putting steps in place today to reduce the likelihood of a diagnosis, or at least prevent the risk of related fractures.

However, it's firstly important to understand what osteoporosis is, how it occurs, and what it can do. Osteoporosis is a disease that weakens the density and strength of your bones and increases the risk of fractures. You often don't know you have it until you break a bone. Fractures of your wrists, ribs, upper arms, spine, and hips are the more common osteoporosis-related fracture locations.

When you're around 20 years old, your body stops renewing and replenishing bone, which means you have reached your peak bone mass. After this point, the strength of your bones can decline – a process that may be accelerated by lifestyle decisions you make as well as your genetic makeup.

The risk factors

Often, your parents determine whether you will get osteoporosis or not, so you are not always going to be able to prevent the diagnosis in later life. However, you are also more at risk if you have already broken bones

as an adult, you smoke, drink to excess, have low body weight and are small in stature.

If you went through menopause early in life, are already out the other side, or don't eat calcium-rich food, these factors may also put you more at risk. Taking medication, not exercising, and not getting enough sunlight can also be to blame.


Help yourself

To reduce the risk of osteoporosis-related fractures, or the condition itself, there are many lifestyle changes you can make. Firstly, include calcium-rich food in your diet such as chia seeds, soy milk, almonds, dried figs, and white beans. Even just two tablespoons of chia seeds can offer as much as 179 mg of calcium, while one cup of white beans has 161 mg. They are also low in fat, rich in iron, and are versatile for use in salads, side dishes and soups.

Some studies have also shown that higher intakes of protein, coupled with over 600mg of calcium per day, resulted in a higher bone mass rating. As a result, food high in protein may be of benefit for reducing fractures too.

If you're not one for exercising, then it might be time to start. Weight training may help to strengthen not only your muscles but your bones as well. In young people, weight training can increase the bone mineral density, but in older people, it can slow down the bone density loss.

While not everyone can prevent a diagnosis of osteoporosis, you can make plenty of lifestyle changes that can reduce the impact it may have on your life.



Treating soft tissue injuries

You often hear the expression “soft tissue” massage when it comes to treating injuries. So what exactly is soft tissue and how does massage work?

Soft tissue refers to all the tissues in the body that connect, support, or surround the body’s structures and organs. It includes muscles, tendons, ligaments, fascia, nerves, fibrous tissues, fat, blood vessels, and synovial membranes (the connective tissue that lubricates moveable joints).

Common types of soft tissue injuries include contusions (bruises caused by trauma to the muscle); sprains (torn ligaments often caused by twisting motions); tendonitis (inflammation of the tendons connecting the bone to the muscle); bursitis (inflammation of the fluid-filled sacs – or bursa – that protect the joints); and strains (muscle or tendon damage). Certain activities can result in overuse injury, which is caused by repetitive friction, pulling, twisting, or compression. Overuse injuries develop

gradually and without effective intervention may become much worse over time.

Hard tissue refers to tissue made up of hard intercellular substance such as cartilage, bone and teeth. Injuries to hard tissue, including fractures, take longer to heal than soft tissue injuries because the blood supply to hard tissue is lower. Hard tissue injuries, such as broken bones, respond better to no motion, which is why casts are often used in the treatment of fractures. Soft tissue injuries, on the other hand, can respond well to movement and manipulation.

Massage is thought to increase blood and lymph circulation, probably due to the physical manipulation and the chemicals that are released as part of the muscle relaxation response. Better circulation delivers more oxygen and nutrients to muscle cells and as cellular health improves, tissues function more efficiently and healing can begin.

Chiropractors treat soft tissue damage by targeting the injured area and working with patients on an individualised treatment plan. Your treatment plan might include gentle movement combined with manipulation and/or massage. Increasing mobility through passive motion also aids recovery by relaxing muscles, reducing inflammation, and relieving pain. Depending on the nature of the injury, chiropractic treatment might include exercises to help improve flexibility, balance and strength.

With the right care and treatment, and depending on the nature of the damage, most patients with soft tissue injuries can expect to feel an improvement in one to six weeks.



Salmon with roasted tomatoes

(serves 1)

INGREDIENTS

- 1 fresh salmon fillet – boned, skin on
- 100g cherry tomatoes
- Thyme – 1Tbsp of dried, or a handful of fresh, chopped
- Oil, coconut or olive
- 1 clove garlic, finely chopped or crushed
- ½ red onion, finely sliced
- Black pepper
- 1 lemon

METHOD

Preheat oven to 180c. Toss tomatoes, thyme, oil, garlic and onion in a roasting pan. Roast for 15 minutes until tomatoes are soft.

Add the fillet to the pan. Bake a further 8-10 minutes depending on thickness of fillet. Add pepper to taste, and a squeeze of lemon juice.

Tomatoes: under the skin

Tomatoes, a fabulous nutritious fruit known as a vegetable, are extremely versatile. It’s almost hard to believe that they were once thought to be deadly poisonous?

There is no shortage of uses for a tomato, and while delicious, they are also more beneficial for your health than you may think. They can help to protect your body against cancer, keep your blood pressure healthy, and even support a range of bodily functions. What’s more, as they contain lycopene and lutein, they also help to reduce the risk of light-induced eye damage.

If you want to improve your heart and skin health or take better care of your eyes, tomatoes may be of assistance. Containing a wide range of vitamins, antioxidants, and nutrients, tomatoes are well worth adding to your diet.

Heart health

Tomatoes contain choline, folate, vitamin C, fibre, and potassium – all key

players in promoting better heart health. What’s more, including high potassium in your diet is linked to a reduced risk of cardiovascular disease.

Eye-care

Lutein, beta-carotene, and lycopene are all found in tomatoes. Research suggests these antioxidants protect your eyes from cataract development, light damage, and even age-related macular degeneration. In an eye disease study, participants who included high amounts of carotenoids in their diet reduced their risk of developing neovascular AMD by as much as 35 percent.

Skincare

Tomatoes contain approximately 24.7 mg of vitamin C – necessary for the production of collagen. Without collagen, the effects

of pollution and smoke can be more damaging for your skin. As a result, you may suffer from more blemishes, wrinkles, and sagging skin than you would if you had more vitamin C in your diet.

If you want to experience all the benefits of tomatoes for yourself, then their versatility makes it a natural process. Add them to sauces, stews, salads, and soups, or even put them in sandwiches or salsa. Remember to wash all fresh produce before use.



Understanding pain

– what is your body trying to tell you?

Pain is caused by injury or disease and protects us by telling us something is wrong. It comes in two forms: acute pain, which is severe and short-lived, and chronic pain, which is less intense but is experienced over a long period, sometimes permanently.


There are three types of acute pain: somatic pain, which is superficial and is felt on the skin or the tissue just below, such as a burn or abrasion. Visceral pain comes from a problem with internal organs, such as appendicitis; and referred pain is felt away from the source of tissue damage, like the shoulder pain felt during a heart attack. Acute pain needs an immediate response whereas chronic pain, which can be experienced almost continuously, requires steady, thoughtful treatment that might include lifestyle changes in combination with therapy and medication.

When you feel pain what is your body trying to tell you? With short, sudden pain, such as a burn, your body reacts involuntarily and immediately by moving

away from or protecting itself from the cause. But what about long term pain conditions? With chronic pain the body's "fight or flight" reaction has wound down as the nervous system adapts to the pain stimulus, but the pain continues to be felt.

The causes and effects of chronic pain are not straightforward and can make it difficult to treat. It's further complicated by some of us being more sensitive to pain than others. Dr Moalem-Taylor of Sydney University's School of Medicine explains that this is due to how individual bodies modulate pain. She says that pain receptors respond differently from person to person to a particular stimulus, and that the pain pathways are themselves complicated, which can reduce or increase the level of pain we experience.

To help address chronic pain symptoms, such as inflammation and muscle tension, chiropractors have a tool box of non-surgical and drug-free treatments to call on. To begin treating chronic pain, it is important to identify the causes. At your first appointment your chiropractor will



carry out a physical examination and possibly some tests to determine the source of the pain. After that, he or she will work with you to design a treatment plan, which may include spinal manipulation, manual therapies, and therapeutic exercises. As you continue through your treatment plan, you should be able to gradually increase your daily activities with greater ease and less pain.


ACROSS

4. A mineral that tomatoes contain. (9)
8. When you're around 20 years old, your body stops renewing and replenishing what? (4)
9. What omega-3 helps to reduce. (11)
12. An inflammation reducing compound found in tart cherries. (8)

DOWN

1. Massage is thought to increase blood and _____ circulation. (5)
2. Accommodative _____ provide support and cushioning to alleviate painful foot conditions. (9)
3. Vitamin C is necessary for the production of this. (8)
5. A disease that weakens the density and strength of your bones. (12)
6. A type of pain felt on the skin or the tissue below. (7)
7. A chronic pain symptom. (12)
10. High-heeled shoes change the body's weight-bearing axis and can cause lower ____ pain. (4)
11. A type of soft tissue. (6)

Clever CROSSWORD



Answers to clues can be found in this edition of Your Chiropractor

Do your shoes really matter?

Yes, as a matter of fact they do. When it comes to shoes, most health professionals agree there are good guys and bad guys, and it won't come as any surprise to learn that towering heels are firmly among the bad guys. As well as being potentially bad for your feet, they can cause lower back pain by changing the body's weight-bearing axis. But heel-less footwear, such as ballet flats and thongs/jandals, are also unsuitable to wear for long periods because they provide no foot support and this can lead to painful heel conditions.

So let's talk about the good guys. Most podiatrists recommend a heel height of around one and a half inches (38mm). Shoes with velcro straps, lace-ups or buckles are good because they support the arches. An ideal shoe if you spend a lot of your working day on your feet will offer both features, providing support as well as cushioning. Running shoes are also suitable, as are minimalist shoes, which are designed to closely approximate barefoot running or walking conditions. But it is possible to wear shoes a little less utilitarian and a little more elegant that can still be good for you.

Chiropractors highly recommend putting customised insoles into your everyday shoes. Prescription orthotics can correct

the problems caused by abnormal motion, and accommodative orthotics provide support and cushioning to alleviate painful foot conditions. In a study published late 2017 in the Archives of Physical Medicine and Rehabilitation it was shown that wearing individually tailored orthotics can significantly reduce lower back pain. In this six week study researchers divided participants into three groups: one group wore customised orthotics, the second wore customised orthotics and had chiropractic treatment (which included adjustments, hot and cold packs, and soft tissue massage); and the third group did not receive orthotics or chiropractic care. The participants who wore orthotics reported a significant reduction in lower back pain, but the participants who combined orthotics with chiropractic care reported a significant improvement in function in addition to less lower back pain.

Most health professionals, including podiatrists and chiropractors, are very likely to advise against wearing high heels and other bad-guy footwear for any length of time, but for occasions when only heels or thongs/jandals will do, it is recommended you limit the time you wear them to under three hours a day.



THE FESTIVE SEASON HAS COMMENCED


Our chiropractors, massage therapists and receptionists appreciate and thank you for your patronage, support and cooperation throughout 2018. We hope you and your family has a safe, enjoyable Xmas break and a healthy, prosperous 2019.



LOWER BACK PAIN AND TRAVELLING

By Nathan Reynolds: Chiropractor at Victoria Point Chiropractic

Christmas holidays are fast approaching and lots of people are getting ready to travel. Unknown to many, sitting incorrectly, especially in a car or plane can be a common cause of lower back pain. Many people tend to sit with the lower and upper back 'slumped' so that the spine makes a single curve in a 'C' shape instead of three alternating curves. This slumped 'C' shaped seated posture can put a lot of strain across the lumbosacral spine, its associated ligaments, muscles, tendons and may lead to tissue damage.



Correct sitting posture and understanding the postural ergonomics of sitting can be a powerful tool in combating lower back pain so try the following:

1. Lift your chest to decrease the increased thoracic (mid back) curve and decompress the load over the lumbar spine (lower back).
2. Tilt the pelvis gently forward until you create a neutral curve in the lumbar spine. However, do not over extend the lower back.
3. Once you have lifted your chest and tilted your pelvis forwards gently draw in your belly button to add stabilisation to your lower back.

The steps outlined above may seem like a challenge to hold for a prolonged period when travelling in a car or plane, but all are achievable with practice. To further decrease the load over the spine you can apply the steps with your seat slightly reclined. You don't have to be vertical.

There are many intricate positioning techniques for the body that can be applied to correct sitting ergonomics. Speak with your chiropractor if you would like an assessment and a more tailored prescription.



REQUIRING A GIFT FOR SOMEONE SPECIAL?

Gift vouchers are available from Victoria Point Chiropractic for massage or goods and services. Drop in or call 07 3207 9000.

Ease your pain with food

Grandma's secret recipe for helping with her pain levels might have more truth than you think...

Since time began, there have always been people swearing by particular foods curing them of their ailments and disease. While there is little evidence to suggest you can find miracle cures in the bottom of your grocery bag, there is growing proof that particular food can help with pain caused by inflammation and arthritis.

Omega-3



Omega-3 helps to reduce your cholesterol and lower your risk of heart disease, but did you know it can also help reduce inflammation? As detailed in numerous studies, by including up to three grams of fatty fish such as herring or salmon in your diet, you can lessen the pain of rheumatoid arthritis. As a result, you may even be able to reduce the number of inflammatory drugs you take.

Soybeans

If you suffer from inflammation, then you may want to take a closer look at soybeans.

As they contain isoflavones, they can help to slow down oxidation and inflammation.

Tart Cherries



If you're reaching for aspirin or other NSAIDs for pain relief, why not consume tart cherries? Tart cherries feature an inflammation-reducing compound known as cyanidin.

Turmeric



For thousands of years, people have used spices for health reasons. Only now, however, are scientists proving that spices have health benefits. Turmeric is one of them and features curcumin which helps to fight inflammation and prevent illness.

While some foods can help to manage your pain level, it should be known that a healthy diet with plenty of fruit and vegetables, as well as regular exercise, can go a long way to keeping your mind and body at its best. If you suffer from inflammation or other aches and pains, consult your chiropractor for advice.

6. SOMATIC 7. INFLAMMATION 10. BACK 11. FASCIA

1. LYMPH 2. ORTHOTICS 3. COLLAGEN 5. OSTEOPOROSIS

ACROSS 4. POTASSIUM 8. BONE 9. CHOLESTEROL 12. CYANDIN

CROSSWORD SOLUTION

Take me home and give our healthy RECIPE a try!